

MATERIAL SAFETY DATA SHEET**SECTION I - PRODUCT IDENTIFICATION**

Manufacturer: Aftermarket.Com dba Vin Etch Products Telephone: (877-549-4644
3027 Marina Bay r. #230 Toll Free: (877)387-1278
League City, TX 77573

Product Name: Cerium Glass Polishing Kit
Product Code: GPK10
DOT Description: Not Regulated
DOT Label: None
Hazard Class: None
Subsidiary Hazard: None
Packing Group: None
UN #: None

HAZARD RATINGS:	Health - 2
	Fire - 0
	Reactivity - 0
	Protection -

SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS #	Weight %	TLV(MG/M3)	PEL(MG/M)
Cerium Oxide	1306-38-3	60-100	--	--

TSCA STATUS:

All components of this product are on the US TSCA Inventory.

SECTION III - PHYSICAL DATA

Boiling Point (deg F) = N/A	Spec Grav (H2O=1) = 1-1.7
Vapor Pressure (mm Hg) = N/A	Melting Point (deg F) = N/A
Vapor Density (Air=1) = N/A	Evaporation Rate = N/A
Solubility in H2O = NIL	PH = N/A
Appearance/Odor = Tan to yellow powder	

Section IIII - REACTIVITY DATA

Chemical Stability - Stable
Conditions to Avoid - None.
Incompatible Materials - None
Decomposition Products - None

Section V - FIRE AND EXPLOSION HAZARD DATA

Flash Point = None	Flammable Limits = na
Lower Flame Limit = na	Higher Flame Limit = na

SPECIAL FIRE FIGHTING PROCEDURES - any available. Fire fighters should protect themselves from exposure with protective clothing and self-contained breathing apparatus.
UNUSUAL FIRE HAZARDS: None

Section VI - HEALTH HAZARD DATA

Routes of Entry - inhalation
Health Hazards - EYE:CONT W/DUSTS MAY BE ABRASIVE & IRRIT TO EYES & MAY CAUSE BURNING, TEARING & REDNESS. SKIN:THERE IS INSUFFICIENT INFO AVAILABLE ON THIS MATL TO PREDICT POTENTIAL FOR HARMFUL EFTS FROM

SKIN CONT/ABSORPTION. STUDIES BY OTHER EXPOS ROUTES SUGGEST A LOW DEGREE OF HAZ. INHAL:WHILE (EFTS OF OVEREXP)

Target Organs - none.

Carcinogenicity - Not listed. NTP? - No. IRAC? - No. OSHA Regulated? - no.

Symptoms of exposure: hlth haz:this material has a low degree of tox, brthg high conc of dusts may cause hdch & naus. Prlngd overexpos to dusts may result in bronchitis (lung inflamm).

Ingest:this matl has a low degree of tox by ingestion.

Medical conditions aggravated by exposure - persons with preexisting skin disorders may be more susceptible to effects of this material.

FIRST AID: eyes:eyes:if irrit/redness from expos to dusts dev, move victim away from expos & into fresh air. If irrit/redness persists, seek md attn. For direct cont, hold eyelids apart & flush w/clean water for at least 15 min. Seek md attn. Skin:if matl comes in cont w/cuts, scratches/abrasions, immed flush affected area(s) w/lrg amts of water. If irrit/redness dev, seek md attn. Inhal:if irrit of throat and mouth delevops drink large quantities of water. Seek medical attention. Seek medical attention in the event of any accidental exposure to this product.

Section VII - PRECAUTION/PROCEDURES

IN CASE OF SPILL - shovel into drums for disposal. Liquids should be contained, absorbed with inert absorbent such as vermiculite, sand or soil then shoveled or swept into a sealed container.

WASTE DISPOSAL METHOD - As recommended by local, state and federal authorities (Regulations regarding disposal vary from town to town)

PRECAUTIONS - Wear proper protective clothing when using this product. Wash thoroughly after handling.

OTHER PRECAUTIONS - Store in well ventilated areas. Keep away from cyanide

Section VIII - SPECIAL PROTECTION

RESPIRATORY PROTECTION - Use NIOSH approved respirator if vapors are excessive.

VENTILATION - ventilate area well

PROTECTIVE GLOVES - Rubber

EYE PROTECTION - Safety goggles, face shield.

OTHER PROTECTIVE EQUIPMENT - Rubber Apron, rubber boots, coveralls.

WORK/HYGIENIC PRACTICES - No bare skin when handling this product. Wash thoroughly after handling, launder clothes.

na = Not Applicable ne = Not Established

- While the information and recommendations given are believed to be accurate, CASWELL makes no warranty, express or implied, and assumes no liability with respect to use of this information.

REGISTERED WITH POISON CONTROL CENTER

CALL INFOTRAC @ 1-800-535-5053